

## EX-9000 BELTS

243 [Alex Nieves](#) Mon, Mar 21, 2011 [FAQ's](#) 0 1926

**AMANO.**

### Introduction

WHAT BELTS ARE AVAILABLE FOR THE EX-9000 SERIES TIME CLOCK AND HOW CAN

I TELL WHICH ONE IS INTALLED?

**ANSWER:**

HERE ARE THE SPECS...

STOCK SENSOR ( comes with clock installed )

6mm SPACING      STROMBERG SPACING

7, 14, 15/16, 16 LIFT

P/N = SR-944100



↑ NO SMALL HOLE

7mm SPACING

IBM Spacing

7, 14, LIFT

P/N = SR-944200



↑ ONE SMALL HOLE

4.35mm SPACING

22 LIFT

P/N = SR-944300



↑ TWO SMALL HOLES

4.53mm SPACING

SINGLE SIDED ACROSS CARD STYLE

31 LIFT

P/N = SR-944401



↑ THREE SMALL HOLES

---

## Conclusion

Thank you for your time, and have a great day. As always, feel free to submit ideas on topics you want addressed in the Amano Knowledge Base using the comments feature.

Amano Cincinnati, Inc. reserves the right to make equipment changes and improvements which may not be reflected in this article. Portions of this article may have been updated to include the latest hardware or firmware version, if applicable. Amano assumes no liability for errors and/or omissions. If you should find any errors or unclear information, please notify Amano by posting a comment.

<b>Customer Support Information</b>	Call toll-free in the U.S.: 800-253-9836 (outside U.S. call 973-364-0294) or Fax: 973-364-1091 Mailing address: Amano Cincinnati, Inc., 140 Harrison Ave., Roseland, New Jersey 07068 Web site: <a href="http://www.amano.com/time">www.amano.com/time</a> • E-mail: <a href="mailto:support@amano.com">support@amano.com</a>
---	---

Online URL: <http://tkb.amano.com/article.php?id=243>